

Made for your enterprise. Built for performance.

Every business needs a reliable business partner. The new mono laser series helps you maximise print efficiency and minimise costs so you can make the most of your investment.



HL-L5100DN

Built to meet the challenges of your business

Discover how Brother mono laser series can bring your performance to the next level.

Built for Productivity

Keep productivity at its maximum with **high print speed of up to 40ppm**¹. What's more, the **Ethernet connection** allows easy sharing of printer within the workgroup.

Focus on your high volume print jobs and spend less time reloading paper with the default paper tray of up to 250 sheets capacity, 50 sheets multi-purpose tray, plus optional upgrades of two additional paper trays, bringing the **total paper capacity up to 1,340 sheets**.



Built for Reliability

Print as much as you need with a robust and dependable machine that has a monthly print cycle of up to 50,000 pages.

Built for Savings

Minimise printing costs with 12,000² pages super high-yield toner. Choose from different toner settings to increase your savings per printout.

Simplify business operations and safeguard your documents

Easily manage your Brother network-connected products from one central location using

BRAdmin Professional Software

This network management tool allows **remote configurations**, **monitoring of useful information** such as page count, toner and drum status. With the option of setting print quota of each user, you can better **control printing cost**. Instant **notification of printer downtime** also lets you attend to the problem before it impacts productivity. What's more, this software features a **suite of security solutions** to assure you of your documents' confidentiality.



Secure Function Lock 3.0

gives greater control over group or individual usage by limiting printer functions.



Internet Protocol Security (IPSec)

encrypts print jobs from the user's computer to the printer.



Print Archive

saves a PDF copy of every print job for easy E-Documentation.



Secure Reset

removes stored data when reverting the machine to its original settings.

Flexible workflow solutions customised for your business

The **Brother Special Solutions Customisation (SSC)** enables Brother products to be modified depending on your needs. Through careful collaboration, we help you design the best solution that meets specific business challenges.

Optional accessories available with this range



LT-5500

Up to 250 sheets optional paper tray

• Up to 2 x 250 sheets paper trays supported



LT-6500

Up to 520 sheets optional paper tray

• 2 x 520 sheets paper trays supported



TN-3428 3,000 pages Standard-Yiel Toner



TN-3448 8,000 pages High-Yield



TN-3478 12,000 pages Super High-Yield



DR-3455 30,000 page

Optional accessories require additional purchase Approx. yields based on ISO/IEC 19752. Declared drum yield based on 1 page/job.

¹ In accordance with ISO/IEC 11160-2:1996

² Applicable to TN-3478 only, in accordance with ISO/IEC 19752

	HL-L5100DN
Key Functions	Automatic 2-sided Print and Network Connectivity
PRINT FUNCTIONS	
Print Speed (A4/Letter)	Up to 40 / 42 ppm*
Print Resolution	Up to 1200 x 1200 dpi
First Print Out Time (Ready)	Less than 7.2 secs
Double-sided Feature	Automatic 2-sided Print
Special Print Functions	N-in-1 Printing, Poster Printing (Windows® only), Watermark Printing (Windows® only) Header-Footer Printing (Windows® only), Secure Print
Print Language	PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0
Quiet Mode	Yes
PAPER HANDLING	
Input Tray (Standard)	250 Sheets
Multi-Purpose Tray / Manual Slot	50 Sheets 60-200g/m² (Paper weight) 76.2 to 215.9 mm (W) X 127 to 355.6 mm (L) (Paper size)
Output Tray (Face Down)	150 Sheets
Optional Paper Tray (Input)	250 sheets (LT-5500) or 520 sheets (LT-6500) x 2 pcs (Max. 1,040 sheets)
Media Size (Standard Tray)	A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal
OTHERS	
Memory	512MB
Processor Speed	Cortex-A9 (800MHz)
Display	16 characters x 1 line
Windows® (Host-Based)	Windows XP Home Edition, XP Professional Edition, XP Professional x64 Edition, Server 2003, Server 2003 x64 Edition, Vista, Server 2008, Server 2008 R2, 7, 8, 8.1, 10, Server 2012, Server 2012 R2
Apple Mac [®]	Mac OS X v10.8.5, 10.9.x, 10.10.x (Download only)
Linux® (Linux® Printer Driver)	CUPS, LPD/LPRng (x86/x64 environment)
Universal Printer Driver	Yes (BRScript / PCL)
Connectivity / Networking	Built-in Ethernet 10 Base-T / 100 Base-TX, Hi-Speed 2.0
Power Consumption (Sleep/Ready)	6.5W/32W
Power Source	220-240V, AC 50/60Hz
SUPPLIES	
Standard-Yield Toner	TN-3428: Approximately 3,000 pages**
High-Yield Toner	TN-3448: Approximately 8,000 pages**
Super High-Yield Toner	TN-3478: Approximately 12,000 pages**
Drum	DR-3455: Approximately 30,000 pages**
DIMENSIONS & WEIGHT	
Dimension (W X D X H)	373 x 388 x 255 mm
Weight	11.1kg

^{*} In accordance with ISO/IEC 11160-2:1996









Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

^{**} In accordance with ISO/IEC 19752